Harvia products for steam room





Harvia Steam – For a pleasant steam room experience.



Harvia Steam -steam generator is a novelty that brings Harvia's expertise in sauna bathing into steam rooms. It is an oasis of relaxation and good feeling. Let the humid heat pamper your senses and forget time and rush for a moment.

Easy to use.

Harvia Steam is easy to install. No separate mounting-rack is needed and coupling is dimensioned by standard. Harvia Steam is also easy to maintain and user-friendly with splash proof construction, optional auto clean function and easy access to all changeable parts.

A fragrance pump and an automatic discharge valve are available as accessories.

Harvia Griffin Steam control panel

Harvia Steam is controlled by a new separate control panel - Harvia Griffin Steam. The digital control panel is easy to operate due to its large screen and simple control menu. Controlled functions:

- steam generator
 - fragrance pump
 - lighting
 - fan





Options for Harvia Steam steam generator

Automatic discharge valve



The Harvia Steam steam generator can also be supplemented with an automatic discharge valve, which makes the use of the steam generator even easier than before. The automatic discharge valve rinses the steam generator at set intervals and every time the steam generator is turned off. This procedure removes any precipitated lime from the steam generator. In order to keep the steam generator in good operating condition, it is essential to remove lime efficiently at regular intervals.

The Harvia Steam steam generator comes with a manual discharge valve as standard equipment.

Fragrance pump

A fragrance pump is available as an accessory for the Harvia Steam steam generator. The fragrance pump can be programmed to automatically mix steam fragrance to the steam.

The pump is a diaphragm pump and it can be used in both small and large steam rooms, because the amount of the fragrance can be adjusted according to where it is used. The fragrance pump's design stylishly matches the steam generator. The steam fragrance container attached to the fragrance pump can be small or large.


Eucalyptus fragrance for steam room

The luxurious Harvia Eucalyptus fragrance for steam room makes the pampering steam room experience even better than before. The fragrance pump mixes the fragrance for steam room liquid with the steam from the steam generator.

The Harvia Eucalyptus fragrance for steam room is a homogenous liquid, and it mixes perfectly with water. The fragrance for steam room is available in 5 liter canisters. One canister gives over 100 liters of mixed liquid for use. Dilution ratio: 1 part fragrance for steam room and 20 parts water.



Harvia aluminium frame door



The new aluminium frame door is an excellent solution for a steam room or a sauna door. It is designed for conditions where the materials need very good humidity resistance. There are no wooden parts in the door. The aluminium frames are powder painted and white in colour. The glass is tempered 8 mm safety glass. Seals keep the heat and steam in. Aluminium frame door is maintenance-free decade after decade.

The aluminum frame door is installed with hidden screws leaving no screwheads visible. The end result is elegant and refined. The sturdy white door handle is made of aluminum. The closing mechanism consists of the magnet on the top of the door frame. The colour options are bronze, smoky grey, green, clear and satin.

The Harvia aluminum frame door is available as both single and double all-glass door. The frame is adjustable for +/-15 mm, which makes it easy to install cleanly even in an existing door opening. This also causes the measurements to differ from the standards. Please contact our factory or retailer for the suitable door size for your purposes.


Single door, two sizes available: 774 \pm 15 x 1900 mm (size of the glass 620 x 1850 mm) and 974 \pm 15 x 1900 mm (size of the glass 820 x 1850 mm). Double door, one size available: 1400 \pm 15 x 1900 mm (size of the glass 2 x 620 x 1850 mm)

Technical data

Model	Output (kW)	Recommended steam room size (m ³)						Steam	230 V 1 N ~		400 V 3 N ~	
		Light wall (acrylic, etc.)		Tiled light wall		Tiled stone wall, etc.		output	Cable-	Fuse	Cable-	Fuse
		Ventilated	Not ventilated	Ventilated	Not ventilated	Ventilated	Not ventilated	capacity kg/h	mm ²	A	mm ²	A
HGS45	4,5	2,0-5,0	2,0-7,0	2,0-4,0	2,0-6,0	2,0-3,5	2,0-4,5	5,5	3 x 6	25	5 x 1,5	3 x 10
HGS60	5,7	2,5-8,0	3,5-11,0	2,0-6,0	3,0-9,0	2,0-5,0	2,0-7,5	7,6	3 x 6	25	5 x 1,5	3 x 10
HGS90	9,0	6,0-12,0	9,0–17,0	4,5-10,0	7,5-14,0	3,0-8,0	6,0-11,5	12	-	-	5 x 2,5	3 x 16
HGS11	10,8	10,0-14,5	15,0-21,0	8,0-12,0	12,0-17,0	6,0-10,0	10,0-14,0	14,6		-	5 x 2,5	3 x 16

Dimensions: Width 520 mm, depth 196 mm, height 411 mm

Weight: 11 kg (water reservoir empty), 14 kg (water reservoir full)



- 1. Harvia Griffin Steam control panel
- 2. Temperature sensor
- 3. Steam pipe
- 4. Steam nozzle
- 5. Water supply pipe
- 6. Water supply pipe valve
- 7. Discharge water pipe

- 8. Discharge valve
- 9. Floor drain
- 10. Overpressure valve
- 11. Connection cable
- 12. Junction box
- 13. Fragrance pump (optional)

Harvia Ltd., P.O. Box 12, FI-40951 Muurame, FINLAND Tel. +358 207 464 000, Fax +358 207 464 090 harvia@harvia.fi, www.harviasauna.com

